

To: Robinson, John H - DNR[John.Robinson@wisconsin.gov]
From: Kamke, Sherry
Sent: Fri 1/29/2016 3:31:17 PM
Subject: RE: meeting to discuss next steps at the Tower LDF site

John,

Did you have a chance to look at the agenda that I sent to you? Are there any specific instructions about how we should park, enter the building, or find the meeting room?

Sherry

From: Robinson, John H - DNR [mailto:John.Robinson@wisconsin.gov]
Sent: Friday, January 29, 2016 6:47 AM
To: Egan, Robert <egan.robert@epa.gov>; Saari, Christopher A - DNR <Christopher.Saari@wisconsin.gov>
Cc: Kamke, Sherry <Kamke.Sherry@epa.gov>; Fassbender, Judy L - DNR <Judy.Fassbender@wisconsin.gov>
Subject: RE: meeting to discuss next steps at the Tower LDF site

Bob

Having both meetings on the 4th would work for us. We may have to move to another room if we go beyond three. I have reserved Room 313 from 11 a.m. until 3 p.m. and 513 from 3 p.m. until 5 p.m..

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

John Robinson

Phone: (715) 359-8932

John.Robinson@wisconsin.gov

From: Egan, Robert [<mailto:egan.robert@epa.gov>]
Sent: Wednesday, January 27, 2016 9:05 AM
To: Robinson, John H - DNR; Saari, Christopher A - DNR
Cc: Kamke, Sherry
Subject: meeting to discuss next steps at the Tower LDF site

John and Chris,

I look forward to seeing you both for the Feb. 4 meeting in Madison. Since we are all traveling, I thought that we should consider meeting about possible next steps at the site after our meeting with EPA and DNR management on the 4th, instead of assuming we need to stay to meet on the 5th.

I don't know how long the first meeting will last, but we may be able to cover the necessary elements later in the afternoon on the 4th. I assume we will be having some general discussion about what needs we have for additional technical information in the earlier meeting, so our discussion may not be very lengthy, especially without REI and LDF in attendance.

Either way is OK with me. Let me know what you think.

Thanks,

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)